

Unit 513, Lakeside 1, No. 8 Science Park West Avenue, Hong Kong Science Park, Shatin, N. T. Hong Kong

Tel.: 852-3188 4492 Email: sales@zetta.com.hk

Website: www zetta com hk

#### **QUOTATION SHEET**

Date: Customer: Address: Contact Person: Tel No.: Mobile No. Fax No. E-mail: Website: PRODUCT PHOTO PACKING W (cm) D (cm) H (cm) Dimensions: Unit: 7.6 1.9 Gift Box: 9.5 13.0 32.5 20.5 28.5 **Export Carton:** Qty. / Inner: Qty. / Carton: 20 Sets CBM: 0.019 N. W. / G. W. 3 61 4 95 Kgs. 20' 40' 40' HQ Container

Long camera version				Quantity (unit):	29,600	59,000	68,500		
Product Description:		Z12 Intelligent	t Security Camcorder			Up-cost (Optional Features) US\$			
				Lead Time		15 CM Long Camera Lens			
	US\$			Lead Time		Car Charger			
				Lead Time		Camera Mount			
FOB Port of Shipment:		Hong Kong / S	Kong / Shenzhen			Extra Long USB Cable			
Payment Terms:	Under 1,000 Sets Payment in Advance		in Full		MicroSD card				
rayment remis.	Over 1	ver 1,000 Sets 30% deposit, balance		e payable before shipment by T/T		4400 mAh power b	ank		
Validity		7 Days							

#### **SPECIFICATIONS & FEATURES**

Specifications:
~Dimensions 7.6 x 4.3 x 1.9 cm

~Power Supply 5V 600 mA DC adapter with mini USB out ~Battery 800 mAh 3.7V Li-ion rechargeable battery

-Sensor resolution VGA (640 x 480)
-Sensor sensitivity 6.8V / lux-sec

-Sensor viewing angle

~Memory card support Micro SD card (TF), maximum 256 GB

~Memory usage 45 min / GB (high frame rate), 3 hr / GB (low frame rate)

-Video recording resolution VGA (640 x 480) or QVGA (320 x 240)

~Video compression JPEG
~Voice recording 12 kSps, 8 bit
~Voice compression PCM
~File format AVI
~Current consumption 80 mA

~Recording time max 8 hours (with fully charged battery)

~Standby time max 90 days (in vibration triggering power saving mode

with fully charged battery) Speech Grade

~Microphone Speech Grade
~USB Mass storage class

~OS support Windows 2000 / XP / Vista / 7 / 8 / 10, Mac OS X

-Storage temperature 0 to 45° C (32 to 113° F) -Operating temperature 0 to 45° C (32 to 113° F)

Package contents Zetta Z12 Intelligent Security Camcorder

5V DC Adapter USB 2.0 cable 5V Car Adapter Instruction Manual

Specifications and Features are subject to change without further notice

#### Applications:

~Shop security, Home-watching, Vehicle DVR, Meeting minutes, Prevention of shop-lifting, Car theft, Hit-n-run or monitoring workers / employees / children

#### Basic Features:

~Mini size main unit for easier hide-away

~With mciro SD card slot ~Built-in 62° wide angle lens

~Built-in 62° wide angle lens
~Vibration triggered recording with 90+ day standby

~Motion detection recording

~Voice activated recording

~Up to 7-day circular scheduled recording

~Multi auto ON / OFF modes

~Windows / Mac configuration tool

-Built-in rechargeable battery to hold 8-hour continuous recording -Support 256 GB micro SD card, up to 768 hours circular recording at 480p, low frame rate (1 GB can record up to 3 hours video clip) -Selectable video recording intervals of 10 / 15 / 30 minutes for

easier uploding to websites

~Choices of displaying timestamp on video clip, precisely tag the

recording time.

~Switchable VGA (640 x 480) and QVGA (320 x 240) to suit different circumstances, VGA provides better quality while QVGA provides

longer recording time.
~Function as USB thumb drive

~Function as 05b thumb drive

~Built-in condenser mic, can be set ON / OFF for voice recording

Prepared by:	E-mail:	
Hona Kona MP:	China MP:	



Unit 513, Lakeside 1, No. 8 Science Park West Avenue, Hong Kong Science Park, Shatin, N. T. Hong Kong

Tel.: 852-3188 4492 Email: sales@zetta.com.hk

Website: www zetta com hk

#### **QUOTATION SHEET**

Date: Customer: Address: Contact Person: Tel No.: Mobile No. Fax No. E-mail: Website: PRODUCT PHOTO PACKING W (cm) D (cm) H (cm) Dimensions: Unit: 8.8 1.9 Gift Box: 9.5 13.0 20.5 28.5 Export Carton: 32.5 Qty. / Inner: Qty. / Carton: 20 Sets CBM: 0.019 N. W. / G. W. 3 35 4 65 Kgs. 20' 40' HQ Container 40' Quantity (unit) 29.600 59.000 68.500 Long camera version Z15 HD Security Camcorder Up-cost (Optional Features) US\$ Product Description: Lead Time 15 CM Long Camera Lens US\$ Lead Time Car Charger Lead Time Camera Mount FOB Port of Shipment Extra Long USB Cable Hong Kong / Shenzhen Under 1,000 Sets Payment in Advance in Full MicroSD card Payment Terms: 30% deposit, balance payable before shipment by T/T Over 1,000 Sets 4400 mAh power bank

**SPECIFICATIONS & FEATURES** 

Specifications:

Hong Kong MP

Validity

~Dimensions 8.8 x 4.3 x 1.9 cm

~Power Supply 5V 600 mA DC adapter with mini USB out 1200 mAh 3.7V Li-ion rechargeable battery -Battery

7 Days

-Sensor resolution 1280 x 960 Sensor sensitivity 1.3V / lux-sec

-Sensor viewing angle

-Memory card support Micro SD card (TF), maximum 256 GB

15 min / GB (high frame rate), 1 hr / GB (low frame rate) ~Memory usage

Video recording resolution HD 720p (1280 x 720) or 360p (640 x 360)

~Video compression JPEG ~Voice recording 12 kSps, 8 bit ~Voice compression PCM

-File format AVI -Current consumption 100 mA

max 10 hours (with fully charged battery) Recording time

max 90 days (in vibration triggering power saving mode Standby time

with fully charged battery)

~Microphone Speech Grade ~USB Mass storage class

Windows 2000 / XP / Vista / 7 / 8 / 10, Mac OS X -OS support

0 to 45° C (32 to 113° F) -Storage temperature 0 to 45° C (32 to 113° F) -Operating temperature

Package contents Zetta Z15 Infrared HD Security Camcorder

Specifications and Features are subject to change without further notice

5V DC Adapter USB 2.0 cable Instruction Manual

Function as USB thumb drive

-Built-in condenser mic, can be set ON / OFF for voice recording

Prepared by: E-mail: China MP:

Applications:

Shop security, Home-watching, Vehicle DVR, Meeting minutes, Prevention of shop-lifting, Car theft, Hit-n-run or monitoring workers / employees / children

#### Basic Features:

-Mini size main unit for easier hide-away

-With mciro SD card slot

Built-in 62° wide angle lens

Vibration triggered recording with 90+ day standby

Motion detection recording Voice activated recording

Up to 7-day circular scheduled recording

-Multi auto ON / OFF modes

-Windows / Mac configuration tool

Built-in rechargeable battery to hold 10-hour continuous recording Support 256 GB micro SD card, up to 256 hours circular recording at 360p, low frame rate (1 GB can record up to 1 hour video clip) Selectable video recording intervals of 10 / 15 / 20 minutes for

easier uploding to websites Choices of displaying timestamp on video clip, precisely tag the

recording time. Switchable 720p (1280 x 720) and 360p (640 x 360) to suit different

circumstances, 720p provides better quality while 360p provides longer recording time.



Unit 513, Lakeside 1, No. 8 Science Park West Avenue, Hong Kong Science Park, Shatin, N. T. Hong Kong

Tel.: 852-3188 4492 Email: sales@zetta.com.hk

Website: www zetta com hk

#### **QUOTATION SHEET**

Date: Customer: Address: Contact Person: Tel No.: Mobile No. Fax No. E-mail: Website: PRODUCT PHOTO PACKING W (cm) D (cm) H (cm) Dimensions: Unit: 4.3 10.2 Gift Box: 9.9 6.0 12.4 27.4 21.3 Export Carton: 32.0 Qty. / Inner: Qty. / Carton: 20 Sets CBM: 0.019 N. W. / G. W. 3 29 4 61 Kgs. 20' 40' HQ Container 40' Quantity (unit) 29,600 59,000 68.500 Up-cost (Optional Features) US\$ Product Description: Z16 Wide Angle HD Security Camcorde ш FOB Port of Shipment Hong Kong / Shenzhen Under 1,000 Sets Payment in Advance in Payment Terms: Over 1,000 Sets

Specifications: ~Dimensions 10.2 x 1.9 x 4.3 cm

~Power Supply 5V 600 mA DC adapter with mini USB out

7 Days

1200 mAh 3.7V Li-ion rechargeable battery -Battery

-Sensor resolution 1280 x 960 Sensor sensitivity 1.3V / lux-sec

-Sensor viewing angle

Validity

-Memory card support Micro SD card (TF), maximum 256 GB

15 min / GB (high frame rate), 1 hr / GB (low frame rate) ~Memory usage

Video recording resolution HD 720p (1280 x 720) or 360p (640 x 360)

~Video compression JPEG ~Voice recording 12 kSps, 8 bit ~Voice compression PCM ~File format AVI

-Current consumption 100 mA

max 10 hours (with fully charged battery) Recording time

max 90 days (in vibration triggering power saving mode Standby time

with fully charged battery)

Speech Grade -Microphone ~USB Mass storage class

Windows 2000 / XP / Vista / 7 / 8 / 10, Mac OS X -OS support

-Storage temperature 0 to 45° C (32 to 113° F) 0 to 45° C (32 to 113° F) -Operating temperature

Package contents Zetta Z16 Infrared HD Security Camcorder

Specifications and Features are subject to change without further notice

5V DC Adapter USB 2.0 cable Instruction Manual

-Built-in condenser mic, can be set ON / OFF for voice recording

Prepared by:	E-mail:	
Hong Kong MP:	China MP:	

Lead Time	15 CM Long Camera Lens		
Lead Time	Car Charger		
Lead Time	Camera Mount		
	Extra Long USB Cable		
n Full	MicroSD card		
payable before shipment by	4400 mAh power bank		

#### **SPECIFICATIONS & FEATURES**

Applications: Shop security, Home-watching, Vehicle DVR, Meeting minutes,

Prevention of shop-lifting, Car theft, Hit-n-run or monitoring workers / employees / children

### Basic Features:

-Mini size main unit for easier hide-away

-With mciro SD card slot

Built-in 160° wide angle lens with tiltable head

Vibration triggered recording with 90+ day standby Motion detection recording

Voice activated recording

-Up to 7-day circular scheduled recording

-Multi auto ON / OFF modes

-Windows / Mac configuration tool

Built-in rechargeable battery to hold 10-hour continuous recording Support 256 GB micro SD card, up to 256 hours circular recording at 360p, low frame rate (1 GB can record up to 1 hour video clip) Selectable video recording intervals of 10 / 15 / 20 minutes for

easier uploding to websites

Choices of displaying timestamp on video clip, precisely tag the

recording time.

Switchable 720p (1280 x 720) and 360p (640 x 360) to suit different circumstances, 720p provides better quality while 360p provides longer

recording time.

Function as USB thumb drive



Unit 513, Lakeside 1, No. 8 Science Park West Avenue, Hong Kong Science Park, Shatin, N. T. Hong Kong

Tel.: 852-3188 4492 Email: sales@zetta.com.hk

Website: www zetta com hk

#### **QUOTATION SHEET**

Date: Customer: Address: Contact Person: Tel No.: Mobile No. Fax No. E-mail: Website: PRODUCT PHOTO PACKING Dimensions: W (cm) D (cm) H (cm) Unit: 11.0 6.0 2.1 Gift Box: 9.0 11.2 19.5 25.0 Export Carton: 37.1 Qty. / Inner: Qty. / Carton: 20 Sets CBM: 0.018 N. W. / G. W. 4 18 5.5 Kgs. Container 20' 40' 40' HQ Quantity (unit) 31.300 62.600 72.220 Long camera version Remote control set Product Description: ZIR32 Wide Angle Night Vision HD Security Camcord Up-cost (Optional Features) US\$ Lead Time 15 CM Long Camera Lens (viewing angle: 62deg) 115\$ Lead Time Car Charger Lead Time Camera Mount FOB Port of Shipment Extra Long USB Cable Hong Kong / Shenzhen Under 1,000 Sets Payment in Advance in Full MicroSD card Payment Terms: Over 1,000 Sets 30% deposit, balance payable before shipment by T/T 4400 mAh power bank Validity 7 Days Wireless PIR body heat trigger / door open trigger / remot **SPECIFICATIONS & FEATURES** Specifications: Applications: 11 0 x 6 0 x 2 1 cm ~Dimensions -Shop security, Home-watching, Vehicle DVR, Meeting minutes, ~Power Supply 5V 1000 mA DC adapter with micro USB out Prevention of shop-lifting, Car theft, Hit-n-run or monitoring workers ~Battery 2400 mAh 3.7V Li-ion rechargeable battery / employees / children -Sensor resolution 1280 x 960 Basic Features: Sensor sensitivity 1.3V / lux-sec Sensor viewing angle 160° ~Mini size main unit for easier hide-away -Memory card support Micro SD card (TF), maximum 256 GB -With mciro SD card slot ~Memory usage 15 min / GB (high frame rate), 1 hr / GB (low frame rate) -IR night vision within 3 meters coverage -Video recording resolution HD 720p (1280 x 720) or 360p (640 x 360) -PIR body heat recording trigger within 3 meters coverage ~Video compression JPEG With external trigger in / out port ~Voice recording 12 kSps, 8 bit Built-in 160° wide angle lens Voice compression PCM Vibration or PIR body heat triggered recording with 180+ day standby -File format AVI Motion detection recording ~Night vision distance Voice activated recording 3 meters Up to 7-day circular scheduled recording

-Current consumption 100 mA (day mode), 400 mA (night mode)
-Recording time max 24 hours (IR night vision turned off)
max 5 hours (IR night vision turned on)
-Standby time max 180 days (Under human body heat detection

or vibration triggering in power saving mode with

fully charged battery) Speech Grade

~Microphone Speech Grade
~USB Mass storage class

~OS support Windows 2000 / XP / Vista / 7 / 8 / 10, Mac OS X

-Storage temperature 0 to 45° C (32 to 113° F)
-Operating temperature 0 to 45° C (32 to 113° F)

Package contents Zetta ZIR32 Infrared HD Security Camcorder

Specifications and Features are subject to change without further notice

5V DC Adapter USB 2.0 cable Instruction Manual

......

R32 Infrared HD Security Camcorder recording time.

~Function as USB thumb drive

Multi auto ON / OFF modes

easier uploding to websites

recording time.

Windows / Mac configuration tool

-Built-in condenser mic, can be set ON / OFF for voice recording

Built-in rechargeable battery to hold 24-hour continuous recording

Support 256 GB micro SD card, up to 256 hours circular recording

at 360p, low frame rate (1 GB can record up to 1 hour video clip)

Selectable video recording intervals of 10 / 15 / 20 minutes for

Choices of displaying timestamp on video clip, precisely tag the

Switchable 720p (1280 x 720) and 360p (640 x 360) to suit different circumstances. 720p provides better quality while 360p provides longer

Hong Kong MP: China MP:	Pi	repared by:	E-mail:	
	H	ona Kona MP:	China MP:	



Specifications and Features are subject to change without further notice

### **Zetta Systems Limited**

Unit 513, Lakeside 1, No. 8 Science Park West Avenue, Hong Kong Science Park, Shatin, N. T. Hong Kong

Tel.: 852-3188 4492 Email: sales@zetta.com.hk

Website: www zetta com hk

#### **QUOTATION SHEET**

Date: Customer: Address: Contact Person: Tel No.: Mobile No. Fax No. E-mail: Website: PRODUCT PHOTO PACKING W (cm) D (cm) H (cm) Dimensions: Unit: 7.5 3.0 Gift Box: 9.6 11.2 20.7 25.0 Export Carton: 37.1 Qty. / Inner: Long camera 60mm Tele-lens version Qty. / Carton: 20 Sets CBM: 0.0192 N. W. / G. W. version Kgs Container 40' HQ PIR casing Quantity (unit) : 29.280 58.560 67.700 Product Description: ZN62 WiFi HD Security Camcorde Up-cost (Optional Features) US\$ Lead Time 15 CM Long Camera Lens (viewing angle: 62deg) US\$ Lead Time Car Charger Lead Time Camera Mount FOB Port of Shipment Extra Long USB Cable Hong Kong / Shenzhen Under 1,000 Sets Payment in Advance in Full MicroSD card Payment Terms: 30% deposit, balance payable before shipment by T/T Over 1,000 Sets 4400 mAh power bank Validity 7 Days 60mm Tele-lens (100m distance) **SPECIFICATIONS & FEATURES** Specifications: Applications: ~Dimensions 7.5 x 5.8 x 3.0 cm Shop security, Home-watching, Vehicle DVR, Meeting minutes, 5V 1000 mA DC adapter with micro USB out -Power Supply Prevention of shop-lifting, Car theft, Hit-n-run or monitoring workers 3500 mAh 3.7V Li-ion rechargeable battery -Battery / employees / children -Sensor resolution 1280 x 960 1.3V / lux-sec Sensor sensitivity Basic Features: -Sensor viewing angle -Mini size main unit for easier hide-away -Memory card support Micro SD card (TF), maximum 256 GB -Real time surveillance capturing with push notification 1GB / hour for video, 250 KB / file for image -Memory usage -AP mode for WiFi direct connection with smart phone -Video recording resolution HD 720p (1280 x 720) -Router mode for real time internet cloud surveillance -Video compression H.264 -With mciro SD card slot ~File format MP4 -Built-in 160° wide angle lens -Current consumption 350 mA -Instantly motion detection recording -Instantly Voice activated recording ~Recording time max 8 hours (with fully charged battery) -Microphone Speech Grade 1-day circular scheduled recording Built-in rechargeable battery to hold 8-hour continuous recording ~USB Mass storage device Android 4.2.2 & IOS 8.3 or later version -Support by default 32 GB micro SD card, up to 32 hours non-circular recording ~OS support 0 to 45° C (32 to 113° F) Storage temperature Can support 64GB-256GB micro SD card if the card is formatted as FAT32 Operating temperature 0 to 45° C (32 to 113° F) Preset time recording schedules Selectable HD (1280 x 720), VGA (640 x 480) and QVGA (320 x 240) to Package contents Attez ZN62 WiFi HD Security Camcorder suit different circumstances, HD provides higer quality, VGA provides 5V DC Adapter reasonable quality while QVGA provides smooth transmission. USB 2.0 cable Function as USB thumb drive Instruction Manual -Built-in condenser mic for voice recording -Download video file and photo to iOS Photos -Quadview of camera Format microSD card from app -Record video file on Windows Auto copy tool to auto copy file on microSD card to computer or sftp

Prepared by:	E-mail:	
Hong Kong MP:	China MP:	

-Send out video / audio file by email or sftp

-Windows program for scheduled recording and live view on computer



Website: www.zetta.com.hk

## **QUOTATION SHEET**

Date:

Customer:									Date.		
Address:	+										
	1					Tol No.					
Contact Person:	╀					Tel No.:					
Mobile No.:	1					Fax No.:					
E-mail:	<u> </u>					Website	9:				
PRODUCT PHOTO								PACKIN	IG		
							Dimensions:	W (cm)	D (cm)	H (cm)	
							Unit:	2.5	2.5	4.0	
							Gift Box:	10.5	7.5	3.5	
								10.5	7.5	3.3	
							Export Carton:				
							Qty. / Inner:				
							Qty. / Carton:		CBM:		
							N. W. / G. W.				
							Container	20'	40'	40' HQ	
								20	70	40 HQ	
5 1 15 11		740 01 5 110					Quantity (unit) :	1 (0 1)		<u> </u>	
Product Description	1:	Z18 BLE HD	Security Camcorder	T	1			st (Optional F	eatures) US	\$	
				Lead Time			Car Charger				
	US\$			Lead Time			Extra Long USB C	able			
	1			Lead Time			MicroSD card				
FOB Port of Shipme		Hong Kong /					4400 mAh power I	oank			
Payment Terms:		1,000 Sets	Payment in Advance								
	Over 1	,000 Sets	30% deposit, balanc	e payable before shipn	nent by 1/1						
Validity		7 Days									
				SPECIFICATIONS							
Specifications:					Applic	cations:					
~Dimensions		3.3 x 3.3 x 3.	.7 cm		~Shop	security	, Home-watching, \	ehicle DVR, I	Meeting minut	tes,	
~BLE distance		80 meters			Prev	Prevention of shop-lifting, Car theft, Hit-n-run or monitoring workers					
~Battery			V Li-ion rechargeable l	battery	/ em	/ employees / children					
~Sensor resolution		1280 x 960									
~Sensor sensitivity		3.3V / lux-se	eC .			Basic Features					
~Sensor viewing ang		62°				~Mini size main unit for easier hide-away					
~Memory card support	rt	Micro SD card (TF), maximum 256 GB				~With mciro SD card slot					
~Memory usage		15 min / GB (high frame rate), 1 hr / GB (low frame rate)				~Built-in 62° wide angle lens					
~Video recording resolu	ution	HD 720p (1280 x 720) or 360p (640 x 360)				~BLE / Vibration triggered recording with 90+ day standby ~Motion detection recording					
~Video compression		JPEG 12 kSps, 8 bit				~Woite activated recording					
~Voice recording ~Voice compression		PCM	nt .				•	oording			
~File format		AVI				~Up to 7-day circular scheduled recording ~Multi auto ON / OFF modes					
~Current consumptio	n	100 mA				~Windows / Mac configuration tool					
~Recording time		max 1.5 hours (with fully charged battery)				~Built-in rechargeable battery to hold 1.5-hour continuous recording					
~Standby time		max 30 days (in vibration triggering power saving mode				~Support 256 GB micro SD card, up to 256 hours circular recording					
Otandby time		with fully charged battery)				at 360p, low frame rate (1 GB can record up to 1 hour video clip)					
						~Selectable video recording intervals of 10 / 15 / 20 minutes for					
~USB		Mass storage class				easier uploding to websites					
~OS support		Windows 2000 / XP / Vista / 7 / 8 / 10, Mac OS X				~Choices of displaying timestamp on video clip, precisely tag the					
		Android 4.4 / iOS 9.3			reco	recording time.					
~Storage temperatur	е	0 to 45° C (32 to 113° F)				~Work with ordinary power bank in the market					
~Operating temperature		0 to 45° C (32 to 113° F)			~Switc	~Switchable 720p (1280 x 720) and 360p (640 x 360) to suit different					
Package contents		Zetta Z18 BLE Infrared HD Security Camcorder				circumstances, 720p provides better quality while 360p provides longer recording time.					
										0 -	
		USB 2.0 cable			~Func	~Function as USB thumb drive					
1		Instruction Ma	anual				nser mic, can be se	t ON / OFF for	r voice record	ling	
1										-	
1											
1											
Specifications and Fea	tures are	subject to char	nge without further notice	<u> </u>							

Prepared by:	E-mail:	
Hong Kong MP:	China MP:	



Unit 513, Lakeside 1, No. 8 Science Park West Avenue, Hong Kong Science Park, Shatin, N. T. Hong Kong Tel.: 852-3188 4492 Email: sales@zetta.com.hk Website: www.zetta.com.hk

## **QUOTATION SHEET**

								Date:	
Customer:									
Address:									
Contact Person:						No.:			
Mobile No.:						x No.:			
E-mail:					We	ebsite:			
			PRODUCT PHOTO				PACKI	NG	
						Dimensions:	W (cm)	D (cm)	H (cm)
						Unit:	7.5	4.1	3.2
			**************			Gift Box:			
						Export Carton:			
				/		Qty. / Inner:			
				<b>y</b>		Qty. / Carton:		CBM:	1
						N. W. / G. W.			Kgs.
						Container	20'	40'	40' HQ
						Quantity (unit) :	20	70	40 HQ
Product Description	n.	ZA22 IR illum	ningtor				st (Optional I	Ecaturas) IIS	¢
r roduct Description	/II.	ZAZZ IIX IIIUII		Lead Time		15 CM Long Cam		eatures) 03	Ψ
	US\$			Lead Time		Car Charger	CIG ECIIS		
	_			Lead Time		Camera Mount			
FOB Port of Shipm	ent:	Hong Kong /	Shenzhen			Extra Long USB Cable			
D	Under	1,000 Sets				MicroSD card	MicroSD card		
Payment Terms:	Over '	1,000 Sets	30% deposit, balance	payable before shipment	by T/T	4400 mAh power			
Validity	•	7 Days	•						
				SPECIFICATIONS & FE	ATURES				
Specifications:					Application	ons:			
~Dimensions		7.5 x 4.1 x 3.	2 cm		~ For use	with Z12 / Z16 / Z18 / ZI	R32 / ZN62 fo	r better night	vision
~Power Supply	Power Supply 5V 1000 mA DC adapter with micro USB out or power bank			JSB out or power bank	~ For work with any device that can see 940nm IR				
~Storage temperature		0 to 45° C (32 to 113° F)							
~Operating temperature		0 to 45° C (32 to 113° F)							
					Basic Fea				
		ZA22 IR illuminator			-Mini size main unit for easier hide-away -Connect to power bank or adpater				
Package contents									
		Instruction M	anual		~Auto on	when the environment is	dark		
Specifications and Fe	atures are	subject to char	nge without further notice						
Prepared by:	_				1	E-mail:			
Hong Kong MP:	1				+	China MP:	1		
I IONG KONG WIF.	- 1				1	Officia WiP.			